## ABBREVIATIONS AND ACRONYMS

ACC air-cooled direct condenser
ADTV average daily traffic volumes
AQIA air quality impact assessment
air-quality-related value

ASCE American Society of Civil Engineers
ASIL acceptable source impact level
BACT best available control technology

BMP best management practices

BPA Bonneville Power Administration
CARB California Air Resources Board
CEC California Energy Commission
CEM continuous emission monitoring

CERCLA Comprehensive Environmental Response, Compensation and Liability Act

CFR Code of Federal Regulations

cfs cubic feet per second CO carbon monoxide

CRGNSA Columbia River Gorge National Scenic Area

CSZ Cascadia Subduction Zone

CT combustion turbine

CTG combustion turbine generator

D/FD Duke/Fluor-Daniel

DLN dry low-NO<sub>x</sub>

dB(A) A-weighted decibel

DEHG Duke Energy Grays Harbor LLC

DNR Washington State Department of Natural Resources

DWI driving while impaired

Ecology Washington State Department of Ecology EDNA environmental designation for noise abatement

EFSEC Energy Facility Site Evaluation Council

EIS environmental impact statement

EPA U.S. Environmental Protection Agency EPC engineering, procurement, and construction

ESA Endangered Species Act

F Fahrenheit

FAA Federal Aviation Administration

FEMA Federal Emergency Management Agency

FGR flue gas recirculation

FIRE Factor Information Retrieval
FITR fuel injection timing retard
FLM federal land manager
FPD Fire Prevention District

FSAR Final Safety Analysis Report

## ABBREVIATIONS AND ACRONYMS (Continued)

g gravity

GE General Electric

GEP good engineering practice

gpm gallons per minute
HAL high-accident location
HCM Highway Capacity Manual
HCS highway capacity software
HRSG heat recovery steam generator
IES Illuminating Engineering Society

IWQAM Interagency Workgroup on Air Quality Modeling

K erodibility factor

kJ kilojoule kW-hr kilowatt-hour km kilometer kV kilovolt

LAER lowest achievable emission rate LCCD Lewis County Conservation District

L<sub>eq</sub> equivalent sound measure

LOS level of service M magnitude

MCE maximum credible earthquake

MHHW mean higher high water MM5 Mesoscale Model

MMBtu million British thermal units MSDS Material Safety Data Sheet

MSL mean sea level MV megavolt

MVA megavolt (average)

MW megawatt

NAAQS National Ambient Air Quality Standards

NDE non-destructive examination

NEPA National Environmental Policy Act NFPA National Fire Protection Association NMFS National Marine Fisheries Service

NOC Notice of Construction NOx oxides of nitrogen

NPDES National Pollutant Discharge Elimination System

NPS National Park Service
NPSH net positive suction head

NSPS New Source Performance Standard

NSR New Source Review

NWPC Northwest Pipeline Company

## ABBREVIATIONS AND ACRONYMS (Continued)

NWS Northwest Weather Service

OAPCA Olympic Air Pollution Control Agency

OSHA Occupational Safety and Health Administration

PAC parallel condensing (wet/dry) cooling

PDA Public Development Authority
PGA peak ground acceleration
PGU power generation unit
PHS Priority Habitat and Species

PM particulate matter

PMF probable maximum flood

ppb parts per billion ppm parts per million

ppmvd parts per million by volume, dry PSD Prevention of Significant Deterioration

psig pounds per square inch gauge

PUD Public Utility District
PWHT post-weld heat treatment

QA/QC quality assurance/quality control

RACT reasonably achievable control technology RBLC RACT/BACT/LAER Clearinghouse

RCP resource contingency program

RCRA Resource Conservation and Recovery Act

RCW Revised Code of Washington

RH relative humidity ROW right-of-way

SCA Site Certification Agreement SCR selective catalytic reduction SIC Standard Industrial Classification

SIL significant impact level

SNCR selective non-catalytic reduction

SOC Species of Concern

SPCC Spill Prevention Control and Countermeasures

SQER small quantity emission rate

SR 12 State Route 12

SSC steam surface condenser STG steam turbine generator

SWPPP Stormwater Pollution Prevention Plan

TAP toxic air pollutant

T-BACT best available control technology for toxics

TDML total maximum daily load
TEFC totally enclosed fan-cooled
UBC Uniform Building Code

## ABBREVIATIONS AND ACRONYMS (Continued)

USFS U.S. Forest Service

USFWS U.S. Fish and Wildlife Service

USGS U.S. Geological Survey UW University of Washington

V volt

VFITR variable fuel injection timing retard

WAAQS Washington Ambient Air Quality Standards

WAC Washington Administrative Code

WARIS Washington Rivers Information System
WNP-3 Washington Nuclear Project Unit 3
WNP-5 Washington Nuclear Project Unit 5

WPPSS Washington Public Power Supply System

WRIA Water Resources Inventory Area

WSDOT Washington State Department of Transportation